

## PRESS RELEASE

### **Kverneland Taarup 3232 MN Light-Weight Mower Conditioner with Vertical Transport Position and Two-Speed Driveline**

01.09.2014, Kerteminde, Denmark



*The Kverneland Taarup 3232 MN*

**The Kverneland Taarup 3200 series mounted mower conditioner is now available in a 3,2m version with nylon tine conditioner, adjustable PTO speed, 125° vertical transport position and centre suspension.**

#### **Light Weight Solution**

Due to the nylon tine conditioner, the machine is offering a light weight solution aimed at the professional user. The light weight design in combination with the fact that the machine is lifted vertically into a 125° transport position and positioned close to the tractor, reduces the load in operation as well as in transport.

#### **Conditioning**

The nylon tine conditioner, also available on the front mounted models, is offering an effective conditioning due to the fixed position. The flexible material is protecting the tines from breaking when hitting stones and other objects in the field.

#### **Adjustable Speed for Reduced Fuel Consumption**

The 3232 MN is factory fitted with the option of being operated with either 540 or 1000 RPM. It is easy to adapt the PTO speed of the mower, simply by turning the gearbox. In addition the conditioner rotor speed can be set for either 600 or 900 RPM. Adjustment is easily done by switching the pulleys. In heavy crop high speed is needed, in light crop and dry conditions low RPM can be recommended. Low speed also reduces power and fuel consumption.



*The new 3232 MN is lifted vertically into a 125° transport position, reducing the weight load on the tractor, and makes it easy to transport, even through narrow gates etc.*

#### **And For Sure With the Well-Known Kverneland Cutterbar**

The 3232 MN is equipped with the well-known Kverneland cutterbar based on a welded cutterbar housing, the round discs as well, as the specially designed gear wheels with reduced noise level.



*Kverneland Taarup 3232 MN in combination with 3632 FN, offering a working width of 6m.*

#### **Perfect Match with a Front Mounted Mower Conditioner.**

The 3232 MN is ideal for operation in combination with a front mounted mower conditioner, offering a wide yet compact solution of 6m working width. Due to the light weight construction the combination can be operated by tractors starting from 140 PTO HP.

#### **Kverneland Taarup 3232 MN – Specifications in Brief:**

	<b>3232 MN</b>
Working width	3,2m
Weight	1090 kg



No. of discs	8
Conditioner	Nylon Tines

**Download high resolution images of the Kverneland Taarup 3232 MN here:**



[Download Image 01](#)



[Download Image 02](#)



[Download Image 03](#)



[Download Image 04](#)

\*\*\*

Kverneland Group is a leading international company developing, producing and distributing agricultural machinery and services. Strong focus on innovation allows us to provide a unique and broad product range with high quality. Kverneland Group offers an extensive package aimed at the professional farming community, covering the areas of soil preparation, seeding, forage and bale equipment, spreading, spraying and electronic solutions for agricultural tractors and machinery. For more information on Kverneland Group visit [www.kvernelandgroup.com](http://www.kvernelandgroup.com)

- - END - -

For more information, contact:  
 Carsten Rasmussen  
 Product Manager, Kverneland Taarup Disc Mowers  
 Phone: + 49 65 19 19 07  
 E-Mail: [carsten.rasmussen@kvernelandgroup.com](mailto:carsten.rasmussen@kvernelandgroup.com)

**Kverneland and iM FARMING Online:**



**Visit our web site**  
[www.kverneland.com](http://www.kverneland.com)



**Like us on facebook**  
[www.facebook.com/KvernelandGroup](http://www.facebook.com/KvernelandGroup)  
[www.facebook.com/iMFarming](http://www.facebook.com/iMFarming)



**Watch us on YouTube**  
[www.youtube.com/kvernelandgrp](http://www.youtube.com/kvernelandgrp)



**Follow us on Twitter**  
[@KvernelandGroup](https://twitter.com/KvernelandGroup)  
[@iM\\_Farming](https://twitter.com/iM_Farming)