

PRESS RELEASE

New ProLine four rotor Rake

Kverneland introduces its 95130C four rotor Rake now additionally as PRO-Line

06/09/2018, Kerteminde, Denmark

Kverneland launches its 95130C now additionally as PRO-Line Model that delivers higher comfort with new ProLine functionalities.

Heavy duty solution for efficient farmers

Whereas the Kverneland 95130C is already equipped with standard features like separate front and rear rotor lift, very simple electronic control, high performance oil bath gear box, hydraulic adjustment of working and swath width on front and rear rotors, the 95130C PRO is additionally equipped with new solutions for becoming even more efficient.



Isobus solution for professional users

Beside the identical technical details to the 95130C, the PRO version comes up with advanced operation possibilities thanks to Isobus control. All Machine functions - operated now on load sensing system - are then easily controlled from each Isobus ready Terminal as for example Isomatch Tellus or Isomatch Tellus Go. With that, users get advanced opportunities to adjust and operate the rake according their needs.

New functions:


- All 4 rotors can be lifted individually
- Folding and unfolding with just pressing one button
- Working width can be controlled from the terminal
- Possibility to save the swath width
- Different headland delay functions



Individual lifting of all four rotors

Easy to adjust

The new feature for electric height adjustment of all four rotors gives possibility to save the position of the rotors and recall them later. An easy set up thanks to Isobus control.



Professional operation with Isobus settings

Minimum Maintenance Promotes High Uptime

The biggest improvement of Maintenance free raking is now as well transferred into this model. The machine is in season fully maintenance free. No time is wasted for greasing. This is realized thanks to the already known maintenance free gearboxes. Occasionally with that you can **Boost Your Work Day** and targeted on an efficient field operation.

This rake is making lighter work of tough and demanding operations. Being able to accurately feed the machine that follows and keep up efficiency of the complete harvesting system is an essential part of the raking job.

Number of Characters (with spaces) in Text and Main Heading: 351

Technical Specifications, 95130C PRO

	95130C PRO
Working Width	10.0-12.5 m
Transport Width	3.00 m
Transport Height	4.00 m
Weight	4700 kg
Tine Arms/Tines Per Arm	12/4

Download high-resolution images of the [95130C PRO](#) here:

[Download 95130C PRO image 01](#)

Text: *Vicon 1304 Pro, new with Isobus operation and electrical height adjustment*

[Download 95130C PRO image 02](#)

Text: *Vicon 1304 Pro, new with single rotor lift possibility.*

[Download 95130C PRO image 01](#)

Text: *Vicon 1304 Pro, professional operation with Isobus setting*

Kverneland Group is a leading international company developing, producing and distributing agricultural machinery and services. Strong focus on innovation allows us to provide a unique and broad product range with high quality. Kverneland Group offers an extensive package aimed at the professional farming community, covering the areas of soil preparation, seeding, forage and bale equipment, spreading, spraying and electronic solutions for agricultural tractors and machinery. For more information on Kverneland Group visit www.kvernelandgroup.com

-- END --

For Details, Contact:

Sebastian Hagemann

Product Manager, Hay Tools and Smart Farming

Kverneland Group Gottmadingen

Tel. +49 173 56 53 991

Email: sebastian.hagemann@kvernelandgroup.com

Visit our Web Site



Like us on Facebook



[KvernelandGroup](#)
[iMFarming](#)

Follow us on Twitter



[@KvernelandGroup](#)
[@iM_Farming](#)

Watch us on YouTube

